

APÊNDICE A – ARQUIVO DE CONFIGURAÇÃO DA BIBLIOTECA NEAT-PYTHON

```
1 [NEAT]
2 fitness_criterion = max
3 fitness_threshold = 0.95
4 no_fitness_termination = False
5 pop_size = 150
6 reset_on_extinction = False
7
8 [DefaultStagnation]
9 species_fitness_func = max
10 max_stagnation = 15
11 species_elitism = 0
12
13 [DefaultReproduction]
14 elitism = 0
15 survival_threshold = 0.2
16 min_species_size = 2
17
18 [DefaultGenome]
19 activation_default = sigmoid
20 activation_mutate_rate = 0.0
21 activation_options = sigmoid
22
23 aggregation_default = random
24 aggregation_mutate_rate = 0.01
25 aggregation_options = sum
26
27 bias_init_mean = 0.0
28 bias_init_stdev = 1.0
29 bias_init_type = normal
30 bias_max_value = 25.0
31 bias_min_value = -25.0
32 bias_mutate_power = 0.5
33 bias_mutate_rate = 0.3
34 bias_replace_rate = 0.05
35
36 compatibility_threshold = 2.5
37 compatibility_disjoint_coefficient = 1.0
```

```
38 compatibility_weight_coefficient = 1.0
39
40 conn_add_prob = 0.2
41 conn_delete_prob = 0.2
42
43 enabled_default = True
44 enabled_mutate_rate = 0.02
45 enabled_rate_to_false_add = 0.05
46 enabled_rate_to_true_add = 0.5
47
48 feed_forward = True
49 initial_connection = partial 0.5
50
51 node_add_prob = 0.1
52 node_delete_prob = 0.1
53
54 num_hidden = 0
55 num_inputs = 10
56 num_outputs = 10
57
58 response_init_mean = 1.0
59 response_init_stdev = 0.0
60 response_init_type = gaussian
61 response_max_value = 30.0
62 response_min_value = -30.0
63 response_mutate_power = 0.0
64 response_mutate_rate = 0.0
65 response_replace_rate = 0.0
66
67 single_structural_mutation = False
68 structural_mutation_surer = single_structural_mutation
69
70 weight_init_mean = 0.0
71 weight_init_stdev = 1.0
72 weight_init_type = gaussian
73 weight_max_value = 30.0
74 weight_min_value = -30.0
75 weight_mutate_power = 0.5
76 weight_mutate_rate = 0.8
77 weight_replace_rate = 0.1
```